

ONYX® 5" IC Target, Standard Magnetics

US Specifications

C	onstruction		
	Anode		304 Stainless Steel
	Cathode Body		OFHC Copper
	Insulator		PTFE/CTFE
С	ooling Requireme	ents	
	Flow Rate at Maximum Power		1 GPM
	Maximum Input Pressure, Open Drain		60 psi
	Maximum Input Temperature		68 °F
D	imensions		
	Α	6.000"	⊬——B——————————————————————————————————
	В	6.083"	
	С	1.000"	

General

Permanent (NdFeB) Encapsulated
212 °F
2.000" - 12.000"
19 lb

Maximum Sputtering Power *

Cathode Voltage	100 - 1500 Volts
Discharge Current	0.1 - 6 Amps
Indirect Cooled Mode, DC	3 kW
Indirect Cooled Mode, RF	1 kW
Operating Pressure	0.5 - 50 mTorr

Mounting, Standard Power Cable, DC RG393 Power Cable, RF RG393 Power Connector, DC Type HN Connector, External Threads Power Connector, RF Type HN Connector, External Threads Stem, Outer Dimension Tubing 1.000" Water, Outer Dimension Tubing 0.375" Target Cooling Indirect 5.000" Diameter Form Circular / Planar

Specifications Disclaimer

Thickness

 All Angstrom Sciences NdFeB magnets are totally encapsulated and protected from degradation by water.

0.060" - 0.500"

- All sources are available in external configurations.
- * Maximum power for cathode only, a target material's properties, such as, thermal and electrical conductivity may limit the maximum process power level.
- Some custom-engineered and specialty magnetrons may not meet standard specifications.
- Specifications are subject to change without notice.
- Typical performance. Results may vary with process parameters such as pressure, flow rate, target material, and substrate rotation, etc.

Please contact us for specifications regarding your application.

Angstrom Sciences | Call +1-412-469-8466 | www.angstromsciences.com